



INTERACTIVE LINE CARD

PUMPS



HEAT EXCHANGERS



BLOWERS



FANS



COOLERS



METAL



WIRING





CENTRIFUGAL PUMPS



ARMSTRONG 4300

Flows 25 to 25,000 GPM
Pressures to 300' TDH



ARMSTRONG 4322

Flows to 900 GPM
Pressures to 160' TDH



ARMSTRONG 4380

Flows to 450 GPM
Pressures to 160' TDH



ARMSTRONG 4700

Flows to 400 GPM
Pressures to 900' TDH



ASP SSP/C

Flows to 250 GPM
Pressures to 125' TDH



ASP FSP

Flows to 80 GPM
Pressures to 75' TDH



ASP 7SP

Flows to 63 GPM
Pressures to 200' TDH



ASP TSP

Flows to 60 GPM
Pressures to 280' TDH



RUSSELL A510

Flows to 82 GPM
Pressures to 105' TDH



RUSSELL A612

Flows to 110 GPM
Pressures to 48' TDH



RUSSELL A712

Flows to 175 GPM
Pressures to 253' TDH



RUSSELL A915

Flows to 225 GPM
Pressures to 360' TDH



REGENERATIVE TURBINE PUMPS



MTH P31

Flows to 5 GPM
Pressures to 250' TDH



MTH T31

Flows to 9 GPM
Pressures to 230' TDH



MTH E41 / T41

Flows to 22 GPM
Pressures to 350' TDH



MTH E51 / T51

Flows to 40 GPM
Pressures to 500' TDH



MTH M50 / L50

Flows to 40 GPM
Pressures to 2300' TDH

REFRIGERATION PUMPS



MTH HERMETIC HP31

Flows to 7 GPM
Pressures to 200' TDH



WARRENDER SR MAG DRIVE

Flows to 150 GPM
Pressures to 135' TDH



MTH HERMETIC HP41

Flows to 45 GPM
Pressures to 450' TDH



WARRENDER WMTA MAG DRIVE

Flows to 45GPM
Pressures to 700' TDH



American Fan



CENTRIFUGAL BLOWERS



VOLUME BLOWERS

Volumes to 1,400 CFM
Pressures to 4" WG



CAST ALUMINUM

Volumes to 5,000 CFM
Pressures to 20" WG




TURBO

Volumes to 8,000 CFM
Pressures to 80" WG



RB PRESSURE

Volumes to 12,000 CFM
Pressures to 110" WG



INDUSTRIAL EXHAUSTERS

Volumes to 40,000 CFM
Pressures to 23" WG



BACKWARD INCLINED

Volumes to 100,000 CFM
Pressures to 25" WG

REGENERATIVE BLOWERS



MD REGENERATIVE

Volumes to 336 CFM
Pressures to 290" WG



MS REGENERATIVE

Volumes to 726 CFM
Pressures to 201" WG



TS REGENERATIVE

Volumes to 1,410 CFM
Pressures to 100" WG



American Fan



SPECIALTY BLOWERS



FIBERGLASS RADIAL WHEEL

Volumes to 14,600 CFM
Pressures to 8" WG



FIBERGLASS BACKWARD CURVED

Volumes to 105,000 CFM
Pressures to 30" WG



HIGH TEMPERATURE

Temperatures to 2000F

AXIAL FANS



FIBERGLASS DUCT AXIAL

Pressures to 4.5" WG



FIBERGLASS PANEL

Volumes to 55,500 CFM
Pressures to 1.5" WG



ROOF VENTILATOR

Volumes to 55,500 CFM
Pressures to 4" WG



JM AEROFOIL

Volumes to 400,000 CFM
Pressures to 13" WG



VANEAXIAL

Volumes to 150,000 CFM
Pressures to 10.5" WG



(603) 210-2479
Mike@Bonardi.com

HEAT EXCHANGERS



Standard **Xchange**
a xylem brand



PLATE | SHELL AND TUBE | COIL



BRAZED



GASKETED



WELDED



**COPPER ALLOY
STAINLESS STEEL**



U-TUBE



CUSTOM ENGINEERED



CUSTOM & OEM



CONDENSER



EVAPORATOR & DX



STEAM



**WATER
HOT | COLD | GLYCOL | REHEAT**



ASME CERTIFIED

John Bonardi President
Mike Adams Key Accounts



BA Associates, LLC
293 Cross Rd
Pembroke, NH 03275



AIR COOLED | EVAPORATIVE



CONDENSER

Capacity
24 kW - 1409 kW



DRY COOLER

Capacity
8kW-2140 kW



ADIABATIC

Capacity
8kW-2140 kW



BAR & PLATE

for Oil Applications



TUBE & FIN

for Oil, Water, Glycol
Applications



DMI AIR COOLED

for Water, Glycol, Single Phase
Applications



DELTA PIONEER

Capacity:
10 Ton - 100 Ton



DELTA PARAGON

Capacity:
55 Ton - 250 Ton



DELTA TM

Capacity:
265 Ton - 2076 Ton



CLOSED LOOP

Packages & Skids



ANTI-MICROBIAL

Minimize Legionella Risk



(603) 210-2479
Mike@Bonardi.com

WIRING & METAL



WIRING



CONTROL PANELS



WIRING HARNESES



ELECTRO-MECHANICAL



DISCRETE WIRES



E-CHAINS

METAL



OEM SHEET METAL



CABINETS



**FRAMES
& SUB-STRUCTURES**



MACHINED PARTS

John Bonardi President
Mike Adams Key Accounts



BA Associates, LLC
293 Cross Rd
Pembroke, NH 03275